



# COVID-19 daily epidemiology update

Updated: June 9, 2021, 7 pm EST

Summary of COVID-19 cases across Canada and over time. Contains detailed data about the spread of the virus over time and in different regions of the country. Includes breakdowns by age and sex or gender.

Provides an overview of hospitalizations and deaths, testing, variants of concern and exposures.

## Key updates as of June 9, 2021, 7 pm EST

Cases today

**1,388**

Total cases

**1,396,798**

Active cases

**20,377**

Total resolved

**1,350,578**

Deaths today

**52**

Total deaths

**25,843**

Total tests performed

**35,422,973**

Daily percent positive (last 7 days)

**2.6%**


Daily tests per 100,000 population (last 7 days)

**186**

- We update these sections daily at 7:00 PM EST: Key updates, Current situation and National overview. Laboratory data represents specimens received by labs up to June 7, 2021 to allow time to process results.
- We update these sections every Friday: Epidemic curve, Demographics, How people were exposed, and Severe illness and outcomes.
- Most cases (65.1%) and deaths (77.7%) were reported by Ontario and Quebec.
- Of the 12 jurisdictions reporting updates, no new cases were reported in 2 provinces or territories in the past 24 hours.
- Of the 12 jurisdictions reporting updates, no new deaths were reported in 6 provinces or territories in the past 24 hours.

# Current situation

Figure 1a.  of  of COVID-19, by  as of June 9, 2021



The count of cases (last 7 days) of COVID-19 in **Canada** was **11,525** as of June 9, 2021.

This information is based on data our provincial and territorial partners published on cases, deaths, and testing daily, and are current as of the day they are published. Today's numbers are current as of June 9, 2021. For the most up to date data for any province, territory or city, please visit their website. The number of cases or deaths reported on previous days may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.


Areas in Canada with cases of COVID-19 as of June 9, 2021






Location	Total cases		Cases last 7 days		Active cases		Resolved	Deaths		Deaths last 7 days		Total tests performed	Moving average tests performed last 7 days		Moving average positivity last 7 days
	Count	Rate*	Count	Rate*	Count	Rate*	Count	Count	Rate*	Count	Rate*	Count	Count	Rate*	Percent
<b>Canada</b>	<b>1,396,798</b>	<b>3,675</b>	<b>11,525</b>	<b>30</b>	<b>20,377</b>	<b>54</b>	<b>1,350,578</b>	<b>25,843</b>	<b>68</b>	<b>231</b>	<b>1</b>	<b>35,422,973</b>	<b>70,731</b>	<b>186</b>	<b>2.6%</b>
British Columbia	145,843	2,833	1,176	23	2,012	39	142,106	1,725	34	18	0	2,773,948	5,690	111	3.5%
Alberta	229,771	5,196	1,643	37	4,204	95	223,311	2,256	51	25	1	4,560,270	5,800	131	4.4%
Saskatchewan	47,574	4,036	608	52	938	80	46,084	552	47	11	1	874,717	1,977	168	4.7%
Manitoba	53,403	3,872	1,828	133	3,786	274	48,536	1,081	78	19	1	822,998	2,642	192	11.5%
Ontario	537,487	3,648	4,596	31	6,824	46	521,743	8,920	61	129	1	15,273,294	25,930	176	2.9%
Quebec	372,287	4,342	1,472	17	2,274	27	358,849	11,164	130	26	0	9,411,855	21,635	252	1.1%
Newfoundland and Labrador	1,360	260	26	5	57	11	1,296	7	1	1	0	283,029	1,291	247	0.7%
New Brunswick	2,280	292	53	7	106	14	2,130	44	6	1	0	355,325	1,328	170	0.6%
Nova Scotia	5,707	583	114	12	164	17	5,455	88	9	1	0	851,503	3,883	397	0.5%
Prince Edward Island	206	129	2	1	5	3	201	0	0	0	0	166,636	432	270	0.1%
Yukon	90	214	6	14	6	14	82	2	5	0	0	9,129	N/A	N/A	N/A
Northwest Territories	128	283	0	0	0	0	128	0	0	0	0	23,868	59	130	0.0%
Nunavut	649	1,649	1	3	1	3	644	4	10	0	0	16,325	65	165	0.2%

\* Rate per 100,000 population

Figure 1b. **Moving average** of **cases (last 7 days)** of **COVID-19 in Canada as of June 9, 2021, 7 pm EST**

The figures below show cases over time. The range of dates (January 31st, 2020 - present date) is the same for each figure. This allows you to compare the provinces and territories on the same timescale.





This information is based on data our provincial and territorial partners published on cases, deaths, and testing daily, and are current as of the day they are published. Today's numbers are current as of June 9, 2021. For the most up to date data for any province, territory or city, please visit their website. The number of cases or deaths reported on previous days may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.

[Downloadable data \(in .csv format\).](#)

Note: Out of the total number of people tested, 76 were repatriated travellers, of which 13 were cases.

# National overview

There have been over **35,422,973** COVID-19 tests performed in Canada or **932,055 tests per 1 million people**. Of these, **4.1%** were positive. For information about testing trends, please see the [Detailed weekly epidemiological report \(PDF\)](#).

**Table 1. Daily\* change in the number of cases, deaths and tests performed, by province or territory, as of June 9, 2021, 7 pm EST**

Location	New cases	New deaths	Tests performed
<b>Canada</b>	<b>1,388</b>	<b>52</b>	<b>58,620</b>
British Columbia	148	3	4,954
Alberta	313	5	3,443
Saskatchewan	57	1	2,203
Manitoba	250	2	2,133
Ontario	411	33	17,579
Quebec	178	8	23,245
Newfoundland and Labrador	3	0	976
New Brunswick	13	0	1,035
Nova Scotia	13	0	2,558
Prince Edward Island	N/A	N/A	375
Yukon	2	0	N/A
Northwest Territories	0	0	45
Nunavut	0	0	74

\* The new cases, deaths and tests reflect the difference between a province or territory's current report and their last report. Some provinces and territories do not update daily.

N/A means that no daily update was provided by the province or territory.

# Variants of concern (VOC) in Canada

All viruses, including COVID-19, change or mutate over time. Not all mutations are of concern. However, some changes result in variants of concern (VOC). A VOC (Variants of concern) has changes that are significant to public health.

For example, they might:

- spread more easily
- cause more severe illness
- require different treatments, or
- not respond the same to current vaccines

The Public Health Agency of Canada (PHAC) updates VOC (Variants of concern) information from Sunday to Thursday at 7:00 PM EDT, using publicly reported information from the provinces and territories.

**Table 2. Cumulative number of cases involving variants of concern (VOC) publicly reported, as of June 9, 2021**

Location	B.1.1.7 variant	B.1.351 variant	P.1 variant
<b>Canada</b>	<b>206,847</b>	<b>1,890</b>	<b>14,350</b>
British Columbia	9,292	133	6,797
Alberta	44,249	149	2,650
Saskatchewan	5,866	10	194
Manitoba	5,528	41	145
Ontario	134,608	1,125	4,073
Quebec	6,789	410	485
Newfoundland and Labrador	187	6	1
New Brunswick	180	4	1
Nova Scotia	73	12	1
Prince Edward Island	26	0	0
Yukon	2	0	3
Northwest Territories	26	0	0
Nunavut	21	0	0

Note:

- The table reports publicly available information from the provinces and territories. In case of discrepancies, the provincial or territorial data should be considered current and correct.

- PHAC is in the process of replacing this table with a graphical view that is more representative of the mix of variants present in Canada in the coming weeks. This new graphical view will include all variants of concern including B.1.617 and variants of interest.

There are many variants being tracked internationally and across Canada. Most of these are similar to the original variants that emerged in 2020. VOCs (Variants of concern) now represent a majority of COVID-19 cases in Canada.

Four VOCs (Variants of concern) have been detected in most provinces and territories:

- B.1.1.7
- B.1.351
- P.1
- B.1.617

The **B.1.1.7 variant** continues to account for most VOCs (Variants of concern), classified to date in Canada.

The **B.1.617 variant** has only been recently identified and thus is less understood. Its 3 sub-lineages may have different properties. Early data from the U.K. indicate that the B.1.617.2 sub-lineage may be more transmissible overall, either similar to or perhaps more transmissible than the B.1.1.7 variant. However, laboratory data suggest that currently authorized vaccines are also effective against this sub-lineage. The B.1.617.1 and B.1.617.3 sub-lineages are less well-known, but may be less affected by vaccines. There are many variants being tracked internationally and across Canada, most of which are similar to the original variants that emerged in 2020.

The impact of the B.1.617 variant and its sub-lineages is still being assessed in Canada, where the variant has been identified in all 10 provinces and 1 territory. Genomic surveillance has also identified all 3 sub-lineages (B.1.617.1, B.1.617.2 and B.1.617.3).

Of these 3:

- B.1.617.1 accounted for most of the identified cases in March and April 2021
- B.1.617.2 accounted for most of the identified cases detected at the border
- B.1.617.3 accounts for a very small proportion (1%) of identified cases

Canada is collecting evidence to determine if each of these sub-lineages meets the definition for a variant of concern or a variant of interest.

New variants will continue to appear. It is crucial to remain vigilant and take all available measures to limit spread.



# Detailed case information

The tables and figures below reflect detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.


Updated: June 4, 2021, 7 pm EST

## Epidemic curve


As of June 4, 2021, 7 pm EST, PHAC has received detailed case report data on 1,385,439 cases. Both exposure and symptom onset date were available for 1,225,532 (88.5%) cases <sup>1</sup>.

The shaded area on the far right of Figure 2 represents lag time. This is the period of time (1 to 2 weeks) before the latest cases are reported to PHAC. This delay is a result of the time required to seek health care, get tested and receive results. It also takes time for public health authorities to gather information on cases. We update this information as it becomes available.


**Figure 2. COVID-19 cases (n=1,385,439 <sup>1</sup>) in Canada by date of illness onset <sup>2</sup> as of June 4, 2021, 7 pm EST (total cases)**




**Figure 2. COVID-19 cases (n=1,225,532 <sup>1</sup>) in Canada by date of illness onset <sup>2</sup> as of June 4, 2021, 7 pm EST (by exposure)**



**Figure 2. COVID-19 cases (n=1,385,078 <sup>1</sup>) in Canada by date of illness onset <sup>2</sup> as of June 4, 2021, 7 pm EST (by age - 10 year groups)**



**Figure 2. COVID-19 cases (n=1,385,078 <sup>1</sup>) in Canada by date of illness onset <sup>2</sup> as of June 4, 2021, 7 pm EST (by age - 20 year groups)**




This figure may underestimate the total number of cases among returning travelers. Exposure history is not available for all cases and jurisdictions have not all consistently reported exposure history to PHAC throughout the pandemic.

# Demographics

We have detailed case report data from 1,385,439 cases. We know the age of patients in 100.00% of cases, and both age and gender in 99.64% of cases.

Of the cases reported in Canada so far, 50.3% were female and 35.6% were between 20 and 39 years old (Figure 3).

Figure 3.  distribution of COVID-19 cases (n=1,385,439 <sup>1</sup>) in Canada as of June 4, 2021, 7 pm EST <sup>4</sup>



## Age by gender <sup>4</sup> distribution of COVID-19 cases (n=1,385,439 <sup>1</sup>) in Canada, June 4, 2021, 7 pm EST

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
≤19	263,454 (19.0%)	135,888 (19.8%)	127,555 (18.4%)	11 (20.8%)
20-29	264,335 (19.1%)	135,941 (19.8%)	128,381 (18.5%)	13 (24.5%)
30-39	226,746 (16.4%)	112,960 (16.5%)	113,776 (16.4%)	10 (18.9%)
40-49	203,475 (14.7%)	98,215 (14.3%)	105,250 (15.2%)	10 (18.9%)
50-59	181,349 (13.1%)	90,362 (13.2%)	90,982 (13.1%)	5 (9.4%)
60-69	111,903 (8.1%)	58,314 (8.5%)	53,586 (7.7%)	3 (5.7%)
70-79	58,953 (4.3%)	29,229 (4.3%)	29,723 (4.3%)	1 (1.9%)
80+	70,288 (5.1%)	24,848 (3.6%)	45,440 (6.5%)	0 (0.0%)
Total	1,380,503 (100%)	685,757 (100%)	694,693 (100%)	53 (100%)

## How people were exposed <sup>3</sup>


In Canada ▼, detailed case report data were provided for 1,385,439 cases. We have exposure history for 1,225,532 (88.5%) cases. The probable exposure setting of these cases <sup>1</sup> are:

- any exposure that occurred in Canada: **1,139,045 (92.9%)**, including
  - from contact with a known COVID case: **567,534 (46.3%)**
  - from contact with a traveller: **8,361 (0.7%)**
  - from an unknown source: **563,150 (46.0%)**
- currently unknown (information pending): **76,824 (6.3%)**
- travelled outside of Canada: **9,663 (0.8%)**

# Severe illness and outcomes

## Hospital use

Figure 4. Daily number of hospital beds and ICU beds occupied by COVID-19 patients as of May 31, 2021



Between May 24, 2021 and May 31, 2021:

- the number of **hospital beds** occupied by COVID-19 patients **decreased** from **2,017** to **1,501** beds.
- the number of **ICU beds** occupied by COVID-19 patients **decreased** from **1,073** to **894** beds.
- the number of **COVID-19 patients who were mechanically vented decreased** from **619** to **507**.

## Hospitalizations and deaths to date

We have detailed case report data on 1,385,439 cases, and hospitalization status for 968,607 (69.9%) of them:

- **72,338 cases (7.5%)** were hospitalized, of whom:
  - **13,609 (18.8%)** were admitted to the ICU
  - **2,013 (2.8%)** needed mechanical ventilation

The provinces and territories provided detailed case report forms for **25,612** deaths related to COVID-19.

Figure 5a. Age and gender<sup>4</sup> distribution of COVID-19 cases hospitalized in Canada as of June 4, 2021, 7 pm EST (n=72,167 <sup>1</sup>)




Figure 5b. Age and gender<sup>4</sup> distribution of COVID-19 cases admitted to ICU in Canada as of June 4, 2021, 7 pm EST (n=13,575 <sup>1</sup>)





Figure 5c. Age and gender <sup>4</sup> distribution of COVID-19 cases deceased in Canada as of June 4, 2021, 7 pm EST (n=25,554 <sup>1</sup>)



Data note: Figure 5 includes COVID-19 cases hospitalized, admitted to ICU, and deceased for which age and gender information were available. Therefore, some COVID-19 hospitalizations, ICU admissions, and deaths may not be included in Figure 5.



**Age and gender <sup>4</sup> distribution of COVID-19 cases hospitalized in Canada as of June 4, 2021, 7 pm EST (n=72,167 <sup>1</sup>)**

<b>Age group (years)</b>	<b>Number of cases with case reports (percentage)</b>	<b>Number of male cases (percentage)</b>	<b>Number of female cases (percentage)</b>	<b>Number of other cases (percentage)</b>
0-19	1,281 (1.8%)	677 (0.9%)	603 (0.8%)	1 (0.0%)
20-29	2,821 (3.9%)	1,191 (1.7%)	1,630 (2.3%)	0 (0.0%)
30-39	4,776 (6.6%)	2,296 (3.2%)	2,480 (3.4%)	0 (0.0%)
40-49	6,454 (8.9%)	3,746 (5.2%)	2,708 (3.8%)	0 (0.0%)
50-59	10,499 (14.5%)	6,325 (8.8%)	4,174 (5.8%)	0 (0.0%)
60-69	12,743 (17.7%)	7,603 (10.5%)	5,140 (7.1%)	0 (0.0%)
70-79	14,135 (19.6%)	7,857 (10.9%)	6,278 (8.7%)	0 (0.0%)
80+	19,458 (27.0%)	8,897 (12.3%)	10,561 (14.6%)	0 (0.0%)

**Age and gender <sup>4</sup> distribution of COVID-19 cases admitted to ICU in Canada as of June 4, 2021, 7 pm EST (n=13,575 <sup>1</sup>)**

<b>Age group (years)</b>	<b>Number of cases with case reports (percentage)</b>	<b>Number of male cases (percentage)</b>	<b>Number of female cases (percentage)</b>	<b>Number of other cases (percentage)</b>
0-19	158 (1.2%)	87 (0.6%)	71 (0.5%)	0 (0.0%)
20-29	373 (2.7%)	196 (1.4%)	177 (1.3%)	0 (0.0%)
30-39	784 (5.8%)	454 (3.3%)	330 (2.4%)	0 (0.0%)
40-49	1,390 (10.2%)	870 (6.4%)	520 (3.8%)	0 (0.0%)
50-59	2,682 (19.8%)	1,777 (13.1%)	905 (6.7%)	0 (0.0%)
60-69	3,599 (26.5%)	2,330 (17.2%)	1,269 (9.3%)	0 (0.0%)
70-79	3,165 (23.3%)	2,022 (14.9%)	1,143 (8.4%)	0 (0.0%)
80+	1,424 (10.5%)	801 (5.9%)	623 (4.6%)	0 (0.0%)

**Age and gender <sup>4</sup> distribution of COVID-19 cases deceased in Canada as of June 4, 2021,  
7 pm EST (n=25,554 <sup>1</sup>)**

<b>Age group (years)</b>	<b>Number of cases with case reports (percentage)</b>	<b>Number of male cases (percentage)</b>	<b>Number of female cases (percentage)</b>	<b>Number of other cases (percentage)</b>
0-19	11 (0.0%)	5 (0.0%)	6 (0.0%)	0 (0.0%)
20-29	60 (0.2%)	35 (0.1%)	25 (0.1%)	0 (0.0%)
30-39	125 (0.5%)	79 (0.3%)	46 (0.2%)	0 (0.0%)
40-49	293 (1.1%)	189 (0.7%)	104 (0.4%)	0 (0.0%)
50-59	891 (3.5%)	554 (2.2%)	337 (1.3%)	0 (0.0%)
60-69	2,317 (9.1%)	1,478 (5.8%)	839 (3.3%)	0 (0.0%)
70-79	5,138 (20.1%)	3,066 (12.0%)	2,072 (8.1%)	0 (0.0%)
80+	16,719 (65.4%)	7,372 (28.8%)	9,347 (36.6%)	0 (0)

# Provincial, territorial and international reporting

For more information, please refer to provincial or territorial COVID-19 webpages:

- [British Columbia](#)
- [Alberta](#)
- [Saskatchewan](#)
- [Manitoba](#)
- [Ontario](#)
- [Quebec](#)
- [Newfoundland and Labrador](#)
- [New Brunswick](#)
- [Nova Scotia](#)
- [Prince Edward Island](#)
- [Yukon](#)
- [Northwest Territories](#)
- [Nunavut](#)
- [World Health Organization](#)
- [Centers for Disease Control and Prevention](#)
- [European Centre for Disease Control and Prevention](#)

- 
- 1 This figure is based on cases for which a case report form was received by the Public Health Agency of Canada from provincial or territorial partners.
  - 2 The shaded area represents a period of time (lag time) where it is expected that cases have occurred but have not yet been reported nationally. The earliest of the following dates were used as an estimate: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.
  - 3 Exposure information may not be available for all cases. Some jurisdictions haven't consistently reported to PHAC how people were exposed throughout the pandemic. As a result, this may underestimate the total number of cases by different exposures, especially among returning travelers.
  - 4 Where available, gender data was used; when gender data was unavailable, sex data was used. Reliable data on gender diverse respondents are unavailable due to small counts.
- 

**Date modified:**

2021-06-09

